

# ActualtestsIT

ActualtestsIT

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)



Try **PDF Demo** before you buy

Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.

PDF format: Easy to read and print learning materials, our products are available in PDF file format.

Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.

Select a vendor...

Select an test...

Your email address

Free Download Demo

## Instant Download



After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

## 365 Days Free Updates



Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



## Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.



## Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

<http://www.actualtestsit.com/>

Topping Certification Exam Prep, Test Dumps Materials - ActualTestsIT

**Exam :** 190-513

**Title :** Lotus Using JavaScript in Domino R5 Applications

**Vendors :** Lotus

**Version :** DEMO

NO.1 Look at the following button code: `var x = 42; x = "this is a string"; alert ("The value of x is " + x);` Which one of the following will happen when this code is run?

- A.A "Type Mismatch" error will occur when the button is clicked.
- B.A run-time JavaScript error will occur when the button is clicked.
- C.The Domino Designer will not save the form since there is an error.
- D.An alert will appear with the message "The value of x is this is a string".

Correct:D

NO.2 Marjorie created the following JavaScript code segment to check whether data had been entered into a required field: `var frm=document.forms[0]; if(frm.LastName.value "")` Which one of the following operators should she have used for the ?

- A.=
- B.==
- C.:=
- D.is

Correct:B

NO.3 Look at the following JavaScript function: `function clickButton { document.forms[0].submitMe.onClick( ) }` Which one of the following will this function do?

- A.Run a global JavaScript function named `onClick( )`.
- B.Run the `onClick` event of an object named `submitMe`.
- C.Place the cursor in an input on the form named `submitMe`.
- D.Run a JavaScript function named `onClick( )` that is on a form object named `submitMe`.

Correct:B

NO.4 Phil has some JavaScript code that he wants to add to a new form he is designing. In R4.6, he would have put this code in a field named `$$HTMLHEAD`. In which one of the following should he put it using the R5 Designer?

- A.In the same place
- B.In a field named `$$JSHEADER`
- C.In the JS Header event of the Form object
- D.In the HTML Head Content section of the Form object

Correct:C

NO.5 Look at the following JavaScript code: `var textvalue = "This video stars Steve M....";` Which one of the following code lines will return the index of the first occurrence of the substring "Steve"?

- A.indexOf ("Steve");
  - B.textvalue.mid("Steve");
  - C.textvalue.indexOf ("Steve");
  - D.textvalue.substring ("Steve");
- Correct:C

NO.6 Bahar is creating a form that will open a new window with a location object. Which one of the following describes the location object?

- A.It contains the URL of a hypertext link.
  - B.It is an object under the history object.
  - C.It is an object under the document object.
  - D.It contains the URL of the current document.
- Correct:D

NO.7 Danielle has written the following function, which appears in the JS Header of the ShipTo form.

function getkeyval() { } It opens when the client clicks on the Alternate Ship To address in the Video Order form. The ShipTo form appears in a smaller window allowing the user to select a different ShipTo address for the current order. Which one of the following best describes how to trigger the function in the ShipTo form and then close the open window?

- A.In the OnChange event of the ShipToAddress field, enter "getkeyval()".
- B.Choose Create>Hotspot>Link Hotspot. Select the HTML tab, and enter the following in the Other field: onClick="getkeyval()"
- C.Choose Create>Hotspot>Link Hotspot. Select the HTML tab, and enter the following in the Class field: onClick="getkeyval()"
- D.Create a close link on the form using passthru HTML as follows:  
a href="#" onClick="getkeyval(); window.close()">Close

Correct:D

NO.8 When a user clicks on a button and a new window is opened, which one of the following properties refers to the parent window that has generated the new window?

- A.window.top
- B.window.self
- C.window.opener
- D.window.parent

Correct:C

NO.9 Which one of the following would Jim do to set up a global variable that will hold the initial value of a field on the page?

- A. Declare and set the variable in the onClick event of the field.
- B. Declare and set the variable in the JS Header event of the form.
- C. Declare the variable in the JS Header event of the form and set the value in the onClick event of the field.
- D. Declare the variable in the JS Header event of the form and set the variable in the onLoad event of the form.

Correct:D

NO.10 Harvey has three numeric, editable fields on his form: unitprice, quantity, and total. He wants to have a button to compute the total. So far he has written: `theForm = document.forms[0]; theForm.total.value = theForm.quantity.value + theForm.unitprice.value;` Which one of the following will happen when the user enters 10 in the unitprice field and 30 in the quantity field and the button is pressed?

- A. A JavaScript error will occur.
- B. 300 will be placed in the total field.
- C. 3010 will be placed in the total field.
- D. The Domino Designer will not let Harvey save the form since the above code has an error.

Correct:C